

---

**Forslund T, Sikiö A, Anttinen J:** IgA nephropathy in a patient with IgG lambda light-chain plasmacytoma: a rare coincidence. *Nephrol Dial Transplant* 2007;22:2705-8.

**Häkkinen A, Salo P, Tarvainen U, Wirén K, Ylinen J.** Effect of manual therapy and stretching on neck muscle strength and mobility in chronic neck pain. *J Rehabil Med* 2007;39(7):575-9.

**Häkkinen A, Kiviranta I, Neva MH, Kautiainen H, Ylinen J.** Reoperations after first lumbar disc herniation surgery; a special interest on residives during a 5-year follow-up. *BMC Musculoskeletal Disord* 2007;8:2.

**Ylinen J.** Physical exercises and functional rehabilitation for the management of chronic neck pain. *Eura Medicophys* 2007;43(1):119-32.

**Nykänen M, Ylinen J, Häkkinen A.** Do cervical degenerative changes in women with chronic neck pain affect function? *J Rehabil Med* 2007;39(5):363-5.

**Ylinen J.** Pressure algometry. *Aust J Physiother* 2007;53(3):207.

**Häkkinen A, Kautiainen H, Järvenpää S, Arkela-Kautiainen M, Ylinen J.** Changes in the total Oswestry Index and its ten items in females and males pre- and post-surgery for lumbar disc herniation: a 1-year follow-up. *Eur Spine J* 2007;16(3):347-52.

**Alamäki A, Häkkinen A, Mälkiä E, Ylinen J.** Muscle tone in different joint positions and at submaximal isometric torque levels. *Physiol Meas* 2007;28(8):793-802.

**Ylinen J, Häkkinen A, Nykänen M, Kautiainen H, Takala EP.** Neck muscle training in the treatment of chronic neck pain: a three-year follow-up study. *Eura Medicophys* 2007;43(2):161-9.

**Tomas-Carus P, Häkkinen A, Gusi N, Leal A, Häkkinen K, Ortega-Alonso A.** Aquatic training and detraining on fitness and quality of life in fibromyalgia. *Med Sci Sports Exerc* 2007;39(7):1044-50.

**Häkkinen A, Heinonen M, Kautiainen H, Huusko T, Sulkava R, Karppi P.** Effect of cognitive impairment on basic activities of daily living in hip fracture patients: a 1-year follow-up. *Aging Clin Exp Res* 2007;19(2):139-44.

**Ylinen J, Kautiainen H, Wirén K, Häkkinen A.** Stretching exercises vs manual therapy in treatment of chronic neck pain: a randomized, controlled cross-over trial. *J Rehabil Med* 2007;39(2):126-32.

**Ylinen J, Nykänen M, Kautiainen H, Häkkinen A.** Evaluation of repeatability of pressure algometry on the neck muscles for clinical use. *Man Ther* 2007;12:192-7.

**Oksanen A, Ylinen JJ, Pöyhönen T, Anttila P, Laimi K, Hiekkänen H, Salminen JJ.** Repeatability of electromyography and force measurements of the neck muscles in adolescents with and without headache. *J Electromyogr Kinesiol* 2007;17(4):493-503.

---

**Paltamaa J, Sarasoja T, Leskinen E, Wikström J, Mälkiä E.** Measures of physical functioning predict self-reported performance in self-care, mobility, and domestic life in ambulatory persons with multiple sclerosis. *Arch Phys Med Rehabil* 2007;88(12):1649-57.

Nikander R, Mälkiä E, Parkkari J, Heinonen A, Starck H, **Ylinen J.** Dose-response relationship of specific training to reduce chronic neck pain and disability. *Med Sci Sports Exerc* 2006;38(12):2068-74.

**Ylinen J, Häkkinen A, Nykänen M, Kautiainen H, Takala E-P.** Neck muscle training in the treatment of chronic neck pain: a three-year follow-up study. *Eura Medicophys* 2007;43:161-169

Eklund KK, Leirisalo-Repo M, Ranta P, Mäki T, Kautiainen H, **Hannonen P, Korpela M, Hakala M, Järvinen P, Möttönen T** for the FIN-RACo Trial Group: Serum IL-1 $\beta$  levels are associated with the presence of erosions in recent onset rheumatoid arthritis. *Clinical and Experimental Rheumatology* 2007;25:684-689

**Hannonen P:** Fibromyalgia - pehmytkudoskipuiluako? *Suomen Lääkärilehti* 2007;7:615-616.

Hartikainen S, **Lönnroos E, Louhivuori K:** Medication as a risk factor for falls: Critical systematic review. *Journal of Gerontology* 2007;62A;10:1172-1181.

**Mecklin J-P, Aarnio M, Läärä E, Kairaluoma MV, Pylvänäinen K, Peltomäki P, Aaltonen LA, Järvinen HJ:** Development of colorectal tumors in colonoscopic surveillance in Lynch syndrome. *Gastroenterology* 2007;133:1093-1098.

Aktan-Collan K, Haukkala A, **Pylvänäinen K, Järvinen HJ, Aaltonen LA, Peltomäki P, Rantanen E, Kääriäinen H, Mecklin J-P:** Direct contact in inviting high-risk members of hereditary colon cancer families to genetic counselling and DNA testing. *Journal of Medical Genetics* 2007;44:732-738.

Niemelä A, Hynninen P, **Mecklin J-P, Kuopio T, Kokko A, Aaltonen L, Parkkila A-K, Pastorekova S, Pastorek J, Waheed A, Sly WS, Orntoft TF, Kruhoffer M, Haapsalo H, Parkkila S, Kivelä A:** Carbonic anhydrase IX is highly expressed in hereditary nonpolyposis colorectal cancer. *Cancer Epidemiology Biomarkers & Prevention* 2007;16:1760-1766.

Samalkorpi H, Alhopuro P, Lehtonen R, Tuimala J, **Mecklin J-P, Järvinen HJ, Jiricny J, Karhu A, Aaltonen LA:** Background mutation frequency in microsatellite-unstable colorectal cancer. *Cancer Research* 2007;67:5691-5698

Tuupanen S, Alhopuro P, **Mecklin J-P, Järvinen H, Aaltonen LA:** No evidence for association of NOD2 R702W and G908R with colorectal cancer. *Int J Cancer* 2007;121:76-79.

Vasen HFA, Mölein G, Alonso A, Bernstein I, Bertario L, Blanco I, Burn J, Capella G, Engel C, Frayling I, Friedl W, Hes FJ, Hodgson S, **Mecklin J-P, Moller P, Nagengast F, Parc Y, Renkonen-Sinisalo L, Sampson JR, Stormorgen A, Wijnen J:** Guidelines for the clinical management of Lynch syndrome (hereditary nonpolyposis colorectal cancer). *J Med Genet* 2007;44:353-362.

---

Renkonen-Sinisalo L, Bützow R, Leminen A, Lehtovirta P, **Mecklin J-P**, Järvinen HJ: Surveillance for endometrial cancer in hereditary nonpolyposis colorectal cancer syndrome. *Int J Cancer* 2007;120:821-824.

Aaltonen L, Johns L, Järvinen H, **Mecklin J-P**, Houlston R: Explainin the familial colorectal cancer risk associated with mismatch repair (MMR)-deficient and MMR-stable tumors. *Clin Cancer Res* 2007;13:356-

Tuupanen S, Karhu A, Järvinen H, **Mecklin J-P**, Launonen V, Aaltonen LA: No evidence for dual role of loss of heterozygosity in hereditary non-polyposis colorectal cancer. *Oncogene* 2007;26:2513-2517.

Laiho P, Kokko A, Vanharanta S, Salovaara R, Sammalkorpi H, Järvinen H, **Mecklin J-P**, Karttunen TJ, Tuppurainen K, Davalos V, Schwartz S, Arango D, Mäkinen MJ, Aaltonen LA: Serrated carcinomas form a subclass of colorectal cancer with distinct molecular basis. *Oncogene* 2007;26:312-320.

Gylling A, Abdel-Rahman WM, **Juhola M**, **Nuorva K**, Hautala E, Järvinen HJ, **Mecklin J-P**, **Aarnio M**, Peltomäki P: Is gastric cancer part of the tumour spectrum of hereditary non-polyposis colorectal cancer? A molecular genetic study. *GUT* 2007;56:926-933.

Kokkonen N, Ulibarri I, Kauppila A, Luosujärvi H, Rivinoja A, Pospiech H, **Kellokumpu I**, **Kellokumpu S**: Hypoxia upregulates carcinoembryonic antigen expression in cancer cells. *Int J Cancer* 2007;121:2443-2450.

**Koski A-M**, Välimäki M: Äidin ja tyttären pulmallinen hyperkalsemia. *Duodecim* 2007;123:2248-2255.

Ritz E, Laville M, Bilous R, Donoghue D, Scherhag A, Burger U, Alvaro F, on behalf of the ACORD investigators and coordinators\* **Koistinen A** *AJKD* 2007;49:194-207.

Qu C-J, Rieppo J, Hyttinen MM, Lammi MJ, **Kiviranta I**, Kurkijärvi J, Jurvelin JS, Töyräs J: Human articular cartilage proteoglycans are not undersulfated in osteoarthritis. *Connective Tissue Research* 2007;48:27-33.

Pulliaainen O, Vasara AI, Hyttinen MM, Tiitu V, Valonen P, Kellomäki M, Jurvelin JS, Peterson L, Lindahl A, **Kiviranta I**, Lammi MJ: Poly-L-D-Lactic acid scaffold in the repair of porcine knee cartilage lesions. *Tissue Engineering* 2007;6:1347-

Nissi M, Rieppo J, Töyräs J, Laasanen MS, **Kiviranta I**, Nieminen MT, Jurvelin JS: Estimation of mechanical properties of articular cartilage with MRI - dGEMRIC T2 and T1 imaging in different species with variable stages of maturation. *Osteoarthritis and Cartilage* 2007;15:1141-1148.

Mikkola T, Sipilä S, Portegijs E, **Kallinen M**, Alen M, **Kiviranta I**, Pekkonen M, Heinonen A: Impaired geometric properties of tibia in older women with hip fracture history. *Osteoporosis* 2007;18:1083-1090.

Lönnsroos E, Kautiainen H, **Karppi P**, Hartikainen S, **Kiviranta I**, Sulkava: Incidence of second hip fractures. A population-based study. *Osteoporos Int* 2007;18:1279-1285.

Lammentausta E, Kiviranta P, Töyräs J, Hyttinen MM, **Kiviranta I**, Nieminen MT, Jurvelin JS: Quantitative MRI of parallel changes of articular cartilage and underlying trabecular bone in degeneration. *Osteoarthritis and Cartilage* 2007;15:1149-1157.

Kurkijärvi JE, Mattila L, Ojala RI, Vasara AI, Jurvelin JS, **Kiviranta I**, Nieminen MT: Evaluation of cartilage repair in the distal femur after autologous chondrocyte transplantation using T2 relaxation time and dGEMRIC. *Osteoarthritis and Cartilage* 2007;15:372-378.

Kulmala J, Sihvonen S, **Kallinen M**, Alen M, **Kiviranta I**, Sipilä S: Balance confidence and functional balance in relation to falls in older persons with hip fracture history. *Journal of Geriatric physical therapy* 2007;30:114-

Liikavainio T, Helminen HJ, Perttunen J, **Lepola V**, **Kiviranta I**, Arokoski JPA, Komi PV: Loading and gait symmetry during level and stair walking in asymptomatic subjects with knee osteoarthritis: Importance of quadriceps femoris in reducing impact force during heel strike? *The Knee* 2007;231-238.

Lassus J, Harjola V-P, Sund R, Siirilä-Waris K, **Melin J**, Peuhkurinen K, Pulkki K, Nieminen MS: Prognostic value of cystatin C in acute heart failure in relation to other markers of renal function and NT-proBNP. *European Heart Journal* 2007;28:1841-1847.

**Mäkinen H**, Kautiainen H, **Hannonen P**, Möttönen T, Korpela M, Leirisalo-Repo M, Luukkainen R, Puolakka K, Karjalainen A, **Sokka T**: Disease activity score 28 as an instrument to measure disease activity in patients with early rheumatoid arthritis. *The Journal of Rheumatology* 2007;34:1987-1991.

**Mäkinen H**, Kautiainen H, **Hannonen P**, Möttönen T, Leirisalo-Repo M, Laasonen L, Korpela M, Blåfield H, Hakonen M, **Sokka T**: Sustained remission and reduced radiographic progression with combination disease modifying antirheumatic drugs in early rheumatoid arthritis. *The Journal of Rheumatology* 2007:316-321.

Karjalainen PP, Porela P, Ylitalo A, Vikman S, **Nyman K**, Vaittinen M-A, Airaksinen TJ, Niemelä M, Vahlberg T, Airaksinen KEJ: Safety and efficacy of combined antiplatelet-warfarin therapy after coronary stenting. *European Heart Journal* 2007;28:726-732.

Zuckerman J, van Hattum J, Cafferkey M, Gjourp I, Hoel T, **Rummukainen M-L**, Weiland O: Should hepatitis B vaccination be introduced into childhood immunisation programmes in northern Europe? *Lancet Infect Dis* 2007;7:410-19.

Northdurft HD, Dahlgren A-L, Gallagher EA, Kollaritsch H, Overbosch D, **Rummukainen M-L**, Rendi-Wagner P, Steffen R, van Damme P: The risk of acquiring hepatitis A and B among travellers in selected eastern and southern Europe and non-european Mediterranean countries: Review and consensus statement on hepatitis A and B vaccination. *Journal of Travel Medicine* 2007;14:181-187.

**Rissanen A**: Aivoinfarkti. *Duodecim* 2007;123:1187-8.

Pöyhönen-Alho M, Rönnemaa T, **Saltevo J**, Ekblad U, Kaaja RJ: Use of insulin glargine during pregnancy. *Acta Obstetrica et Gynecologica Scandinavica* 2007;86:1171-1174.

---

Saaristo T, Peltonen M, Keinänen-Kukaanniemi S, **Vanhala M**, **Saltevo J**, Niskanen L, Oksa H, Korpi-Hyövälti E, Tuomilehto J, for the FIN-D2D study group: National type 2 diabetes prevention programme in Finland: FIN-D2D. *International Journal of Circumpolar Health* 2007;66:101-

Home PD, Stuart P, Pocock S, Beck-Nielsen H, Cornis R, Hanefeld M, Jones N, Komajda M, McMurray JV for the RECORD study group\* **Saltevo J**: Rosiglitazone evaluated for cardiovascular outcomes - an interim analysis. *N Engl J Med* 2007;357:1-11.

**Sokka T**, **Mäkinen H**, **Hannonen P**, Pincus T: Most people over age 50 in the general population do not meet ACR remission criteria or OMERACT minimal disease activity criteria for rheumatoid arthritis. *Rheumatology* 2007;46:1020-1023.

Avalos I, Chung C, Oeser A, Gebretsadik T, Shintani A, Kurnik D, Raggi P, **Sokka T**, Pincus T, Stein CM: Increased augmentation index in rheumatoid arthritis and its relationship to coronary artery atherosclerosis. *The Journal of Rheumatology* 2007;34:2388-94.

**Sokka T**, Kautiainen H, **Hannonen P**: Stable occurrence of knee and hip total joint replacement in Central Finland between 1986 and 2003: an indication of improved long-term outcomes of rheumatoid arthritis. *Ann rheum Dis* 2007;66:341-344.

Yazici Y, Kautiainen H, **Sokka T**: Differences in clinical status measures in different ethnic/racial groups with early rheumatoid arthritis: Implications for interpretation of clinical trial data. *J Rheumatol* 2007;34:311-5.

Luukkainen R, **Sokka T**, Kautiainen H, **Hannonen P**, Laasonen L, Leirisalo-Repo M, Korpela M, Julkunen H, Puolakka K, Blåfield H, Kauppi M, Möttönen T: Prognosis of 5-year radiographic erosions of the wrist according to early, late, and persistent wrist swelling or tenderness in patients with early rheumatoid arthritis. *The Journal of Rheumatology* 2007;34:50-3.

**Sokka T**, Kautiainen H, Tooza S, **Mäkinen H**, Verstappen S, Merete L, Naranjo A, Baecklund E, Herborn G, Rau R, Cazzato M, Gossec L, Skakic V, Gogus F, Sierakowski S, Bresnihan B, Taylor P, McClinton C, Pincus T, for the QUEST-RA group: QUEST-RA: quantitative clinical assessment of patients with rheumatoid arthritis seen in standard rheumatology care in 15 countries. *Ann Rheum Dis* 2007;66:1491-1496.

Verstappen S, Jacobs J, Huisman A-M, Rijthoven A, **Sokka T**, Bijlsma J: Functional health assessment questionnaire (HAQ) and psychological HAQ are associated with and predicted by different factors in rheumatoid arthritis. *J Rheumatol* 2007;34:1837-40.

Pincus T, Yazici Y, **Sokka T**: Quantitative measures of rheumatic diseases for clinical research versus standard clinical care: differences, advantages and limitations. *Best Practice & Research Clinical Rheumatology* 2007;21:601-628.

**Sokka T**: Quantitative assessment of rheumatoid arthritis in standard clinical care: turning clinical care into clinical science. *Best Practice & Research Clinical Rheumatology* 2007;21:653-661.

**Sokka T**, Haugeberg G, Pincus T: Assessment of quality of rheumatoid arthritis care requires joint count and/or patient questionnaire data not found in a usual medical record: examples from studies

---

of premature mortality, changes in clinical status between 1985 and 2000, and a QUEST-RA global perspective. *Clin Exp Rheumatol* 2007;25:86-97.

Pincus T, **Sokka T**: Can a multi-dimensional health assessment questionnaire (MDHAQ) and routine assessment of patient index data (RAPID) scores be informative in patients with all rheumatic diseases? *Best Practice & Research Clinical Rheumatology* 2007;21:733-752.

Sokka T: Is the long-term outcome of rheumatoid arthritis improving? Evidence from total joint replacement surgery. *Future Rheumatol* 2007;2:237-239.

Pincus T, **Sokka T**: A three-page standard protocol to evaluate rheumatoid arthritis (SPERA) for efficient capture of essential data from patients and health professionals in standard clinical care and clinical research. *Best Practice & Research Clinical Rheumatology* 2007;21:677-685.

**Sokka T**: Scandinavian registers in normal and arthritic populations. *Bulletin of the NYU Hospital for Joint Diseases* 2007;65:135-8.

**Sokka T**, Pincus T: Expanding quantitative assessment of rheumatoid arthritis in usual care. *Future Rheumatol* 2007;2:469-473.

**Saltevo J, Vanhala M**, Kautiainen H, Kumpusalo E, Laakso M: Association of C-reactive protein, interleukin-1 receptor antagonist and adiponectin with the metabolic syndrome. *Mediators of Inflammation* 2007;9:3573.

**Soinila J**, Soinila S: Milloin lähetän potilaan neurologille? *Suomen Hammaslääkärilehti* 2007;7:380-383.

**Nurmenniemi P, Hannonen P, Tuovinen P**: Bisfosfonaattilääkitykseen liittyvä leukojen osteonekroosi. *Duodecim* 2007;123:2443-8.

**Aukee Pauliina**, Stach-Lempinen Beata, Hainari Sari;  
Virtsankarkailu aiheuttaa häpeää ja kustannuksia. *Suomen Lääkärilehti* 14-15 / 2007, vsk 62.

Hiltunen Reijo, Nieminen Kari, Takala Teuvo, **Heiskanen Eila**, Merikari Mauri,  
Niemi Kirsti ja Heinonen Pentti K; Low-Weight Polypropylene Mesh for Anterior Vaginal Wall Prolapse. A Randomized Controlled Trial. *Obstetrics & Gynecology*, Vol 110, No 2, Part 2, August 2007.

Laurikainen Eija, Valpas Antti, Kivelä Aarre, **Kalliola Tuomo**, Rinne Kirsi, Takala Teuvo, Carl Gustaf Nilsson; Retropubic Compared With Transobturator Tape Placement in Treatment of Urinary Incontinence. A Randomized Controlled Trial. *Obstetrics & Gynecology*, Vol 109, No 1, January 2007.

Halmesmäki K, Hurskainen R, Teperi J, Grenman S, Kivelä A, Kujansuu E, Tuppurainen M, **Yliskoski Merja**, Vuorma S, Paavonen J; The effect of hysterectomy or levonorgestrel-releasing intrauterine system on sexual functioning among women with menorrhagia: a 5-year randomised controlled trial. *BJOG*. 2007 May; 114(5): 563-568.

---

Elovainio M, Teperi J, Aalto AM, Grenman S, Kivelä A, Kujansuu E, Vuorma S, **Yliskoski Merja**, Paavonen J, Hurskainen R; Depressive symptoms as predictors of discontinuation of treatment of menorrhagia by levonorgestrel-releasing intrauterine system. *Int J Behav Med.* 2007;14(2):70-75.

**Saltevo J, Vanhala M**, Kautiainen H, Laakso M: Levels of adiponectin, C-reactive protein and interleukin-1 receptor antagonist are associated with the relative change in body mass index between childhood and adulthood. *Diab Vasc Dis Res* 2007;4:328-31.

Puolakka K, Kautiainen H, Möttönen T, **Hannonen P**, Pohjolainen T, Korpela M, Vuori K, Ilva K, Yli-Kerttula U, Järvinen P, Leirisalo-Repo M et al: Cost of Finnish statutory inpatient rehabilitation and its impact on functional and work capacity of patients with early rheumatoid arthritis: experience from the FIN-RACo trial. *Scand J Rheumatol* 2007;36:270-277.

Toma C, Rossi M, Sousa I, Blasi F, Bacchelli E, **Alen R**, Vanhala R, Monaco AP, Järvelä I, Maestrini E: is ASMT a susceptibility gene for autism spectrum disorders? A replication study in European population. *Mol Psychiatry* 2007;12:977-9.

**R. Alen** on KSSHP:n työntekijä ja tutkimusta on tuettu KSSHP:n tevo-apurahoilla.

Vuorinen K, Myllärniemi M, **Lammi L**, Piirilä P, Ryttilä P, Salmenkivi K, Kinnula VL: Elevated matrilysin levels in bronchoalveolar lavage fluid do not distinguish idiopathic pulmonary fibrosis from other interstitial lung diseases. *APMIS* 2007;115:969-75.

Airas L, Saraste M, Rinta S, Elovaara I, Huang YH, Wiendl H and The Finnish Multiple Sclerosis and Pregnancy study group \* **T. Sarasoja** mainitaan appendixissa. *Clinical and Experimental Immunology* 2007;151:235-243.

Saltevo Juha: Kollegan lisääntyvä jäykkyys ja palelu statiinin käytön yhteydessä. *Duodecim* 2007;123:1419-20.

Home PD, Jones NP, Pocock SJ et al for the RECORD\*: Rosiglitazone RECORD study: glucose control outcomes at 18 months. *Diabetic Medicine* 2007;24:626-634.\* **Juha Saltevo**

Thorn LM, Forsblom C, Fagerudd J et al on behalf of the Finndiane Study Group\*: Clustering of risk factors in parents of patients with type 1 diabetes and nephropathy. *Diabetes care* 2007;30:1162-67. \* **Juha Saltevo**.

Waden J, Thorn LM, Forsblom C et al on behalf of the FinnDiane Study group\* Leisure-time physical activity is associated with the metabolic syndrome in type 1 diabetes. *Diabetes Care* 2007;30:1618-1620 \* **Juha Saltevo**

Hämäläinen P, Ruutiainen J, Huolman S, **Liuha S**: Kun äly väsy. *Suomen Lääkärilehti* 2007;49-50:4627-4631.

**Tuukkanen J**: Maailma muuttuu nopeasti - pysyvätkö keskussairaalat vauhdissa mukana? *Duodecim*;123:2931-2.

**Tuukkanen J**, Tamminen A: Kuka päivystää ja missä vuonna 2015? *Duodecim* 2007;123:1530-1.

---

**Tuukkanen J**, Tamminen A: Erikoislääkärikoulutuksen uudistus kadotti yleisosajat. Suomen Lääkärilehti 2007;26:2567-2572.

Heikkinen M, Saarinen J, Suominen V, **Virkkunen J**, Salenius J-P: Lower limb amputations: difference between the genders and long term survival. Prosthet Orthot Int 2007;31:277-286.

**Sokka T**: Self-reporting instruments in rheumatoid arthritis. Nat Clin Pract Rheumatol 2007;3:74-5.

**Rautava E**, Lehtonen-Veromaa M, Kautiainen H, Kajander S, Heinonen OJ, Viikari J, Möttönen T: The reduction of physical activity reflects on the bone mass among young females: a follow-up study of 142 adolescent girls. Osteoporosis Int 2007;18:915-922.

Kajantie M, Vänskä J, Avela R, Kangas M, Kaukonen T, **Teittinen J**: Sairaalanlääkärien päivystys 2006. Suomen Lääkärilehti 2007;48:4545-4550.

Hirvensalo M, Sakari-Rantala R, **Kallinen M**, Leinonen R, Lintunen T, Rantanen T: Underlying factors in the association between depressed mood and mobility limitation in older people. Gerontology 2008;53:173-178.

Sörensen L, Honkalehto S, **Kallinen M**, Pekkonen M, Louhevaara V, Smolander J, Alen M: Are cardiorespiratory fitness and walking performance associated with self-reported quality of life and work ability? Int J of Occupational Medicine and Environmental Health 2007;20:257-264.

Leinonen R, Heikkinen E, Hirvensalo M, Lintunen T, Rasinaho M, Sakari-Rantala R, **Kallinen M**, Koski J, Möttönen S, Kannas S, Huovinen P, Rantanen T: Customer-oriented counselling for physical activity in older people: study protocol and selected baseline results of a randomized-controlled trial. Scand J Med Sci Sports 2007;17:156-64.

Keski-Rahokonen P, **Pärssinen O**, **Leppänen E**, Mauriala T, Lehtonen M, Auriola S: Determination of tamsulosin in human aqueous humor and serum by liquid chromatography-electrospray ionization tandem mass spectrometry. J Pharm Biomed Anal 2007;17:606-12.

**Pärssinen O**, Era P, Tolvanen A, Kaprio J, Koskenvuo M, Rantanen T: Heritability of intraocular pressure in older female twins. Ophthalmology 2007;114:22227-31.

**Tuuliranta M**: Verkko estää nivustyrieni uusiutumista. Duodecim 2007;123:1004-6.



