

## JULKAISUT 2012 KSSHP

Tarnanen SP, Siekkinen KM, **Häkkinen AH**, Mälkiä EA, Kautiainen HJ, **Ylinen JJ**. Core muscle activation during dynamic upper limb exercises in women. *J Strength Cond Res*. 2012 Dec;26(12):3217-24.

Holviala J, Kraemer WJ, Sillanpää E, Karppinen H, Avela J, Kauhanen A, **Häkkinen A**, Häkkinen K. Effects of strength, endurance and combined training on muscle strength, walking speed and dynamic balance in aging men. *Eur J Appl Physiol*. 2012 Apr;112(4):1335-47.

**Piitulainen K, Ylinen J**, Kautiainen H, **Häkkinen A**. The relationship between functional disability and health-related quality of life in patients with a rotator cuff tear. *Disabil Rehabil*. 2012;34(24):2071-5.

**Korniloff K, Vanhala M, Kautiainen H**, Koponen H, Peltonen M, Mäntyselkä P, Oksa H, Kampman O, **Häkkinen A**. Lifetime leisure-time physical activity and the risk of depressive symptoms at the ages of 65-74years: The FIN-D2D survey. *Prev Med*. 2012;54:313-315.

**Korniloff K, Häkkinen A**, Koponen H, **Kautiainen H**, Järvenpää S, Peltonen M, Mäntyselkä P, Kampman O, Oksa H, Vanhala M. Relationships between depressive symptoms and self-reported unintentional injuries: the cross-sectional population-based FIN-D2D survey. *BMC Public Health*. 2012 Jul 10;12(1):516.

Tarnanen S, Neva MH, Dekker J, Häkkinen K, Vihtonen K, **Pekkanen L, Häkkinen A**. Randomized controlled trial of postoperative exercise rehabilitation program after lumbar spine fusion: study protocol. *BMC Musculoskelet Disord*. 2012 Jul 20;13(1):123.

**Salo P**, Ylönen-Käyrä N, **Häkkinen A, Kautiainen H**, Mälkiä E, **Ylinen J**. Effects of long-term home-based exercise on health-related quality of life in patients with chronic neck pain: A randomized study with a 1-year follow-up. *Disabil Rehabil*. 2012;34(23):1971-7.

**Juha Paloneva, Marjo Oikari, Jari Ylinen**, Minna Ingalsuo, Ilkka Kunnamo ja Ilkka Kiviranta. Olkapääpotilaan verkkolähete - ohjaava konsultaatiopyyntö. *Duodecim* 2012;128(15):1585-90.

**Marjo Oikari, Arja Häkkinen, Hannu Kautiainen, Maija Pesola, Jari Ylinen** ja Mauno Vanhala. Polvinivelrikkopotilaiden läheteiden sisältö ja hoitolinjapäätökset. *Duodecim* 2012;128(15):1593-9.

Tuomela J, Paltamaa J, **Häkkinen A**. Reliability of the Dynamic Gait Index (Finnish version) in individuals with neurological disorders. *Disabil Rehabil*. 2012;34(19):1657-64.

Sillanpää E, Häkkinen K, Holviala J, **Häkkinen A**. Combined strength and endurance training improves health-related quality of life in healthy middle-aged and older adults. *Int J Sports Med*. 2012 Dec;33(12):981-6.

**Mustalampi S, Ylinen J, Kautiainen H, Weir A, Häkkinen A.** Acute effects of cold pack on mechanical properties of the quadriceps muscle in healthy subjects. *Phys Ther Sport.* 2012 Nov;13(4):265-9.

Hakulinen M, Borg H, **Häkkinen A**, Parviainen T, Kiviranta I, Jurvelin J S. Influence of different DXA acquisition modes on monitoring the changes in bone mineral density after hip resurfacing arthroplasty. *Journal of Clinical Densitometry. J Clin Densitom.* 2012 Jan-Mar;15(1):72-7.

Markku Hakala ja **Arja Häkkinen.** Kuntoutuksen tarve ja luonne ovat muuttuneet nivelreumassa. *Lääketieteellinen Aikakauskirja Duodecim* 2012;128(22):2295-7.

Teppo U, Vanhala M, **Oikari M, Ylinen J, Häkkinen A.** Fysioterapeutin ohjaama itsehoito auttaa polvioireisiä potilaita. *Suomen Lääkärilehti* 2012;39:2736-2739.

Vaara JP, Kyröläinen H, Niemi J, Ohrankämmen O, **Häkkinen A**, Kocay S, Häkkinen K. Associations of maximal strength and muscular endurance test scores with cardiorespiratory fitness and body composition. *J Strength Cond Res.* 2012 Aug;26(8):2078-86

Holviala J, **Häkkinen A**, Alen M, Sallinen J, Kraemer W, Häkkinen K. Effects of prolonged and maintenance strength training on force production, walking and balance in aging women and men. *Scand J Med Sci Sports.* 2012 Apr 29. doi: 10.1111/j.1600-0838.2012.01470.x

**Salo P, Ylinen J, Kautiainen H, Häkkinen K, Häkkinen A.** Neck muscle strength and mobility of the cervical spine as predictors of neck pain: a prospective 6-year study. *Spine (Phila Pa 1976).* 2012 May 20;37(12):1036-40.

Pakkala I, Read S, Sipilä S, Portegijs E, **Kallinen M**, Heinonen A, Alen M, Kiviranta I, Rantanen T. Effects of intensive strength-power training on sense of coherence among 60-85-year-old people with hip fracture: a randomized controlled trial. *Aging Clin Exp Res.* 2012 Jun;24(3):295-9.

Edgren J, Rantanen T, Heinonen A, Portegijs E, Alén M, Kiviranta I, **Kallinen M**, Sipilä S Effects of progressive resistance training on physical disability among older community-dwelling people with history of hip fracture. *Aging Clin Exp Res.* 2012 Apr;24(2):171-5.

Portegijs E, Edgren J, Salpakoski A, **Kallinen M**, Rantanen T, Alen M, Kiviranta I, Sihvonen S, Sipilä S. Balance confidence was associated with mobility and balance performance in older people with fall-related hip fracture: a cross-sectional study. *Arch Phys Med Rehabil.* 2012 Dec;93(12):2340-6.

Peltonen H, Arokoski J, **Kallinen M**, Pullinen T. Muscle loading and activation of the shoulder joint during humeral external rotation by pulley and variable resistance. *J Electromyogr Kinesiol.* 2012 Jun;22(3):424-30.

**Pekkanen L, Neva M, Kautiainen H, Kyrölä K, Marttinen I, Wahlman M, Vihtonen K, Häkkinen A.** Selän jäykistysleikkauksen tuottama terveyshyöty diagnosiryhmittäin. *Suomen Ortopedia ja Traumatologia* 2012.

**Marja Arkela-Kautiainen**, Liisa Suhonen, Leena Mäkelä, Pia Korkka, Annika Intke.

Kehittämiskohteena fysioterapeuttien potilaskirjaukset. *Fysioterapia* 6, 2012.

Jokinen E, **Kokkonen J**, Laurema K. Kuvantamisen erityiskysymyksiä synnynnäisten sydänvikojen seurannassa. *Sydänääni* 2012;23:1A

Liesmaa I, Shiota N, **Kokkonen JO**, Kovanen PT, Lindstedt KA. Bradykinin type-2 receptor expression correlates with age and is subjected to transcriptional regulation. *International Journal of vascular medicine* 2012; 159646. doi: 10.1155/2012/159646

Kaitila I, Jokinen E, Kokkonen J. Marfanin oireyhtymä. *Duodecim* 2012;128:503-13.

**Vasunta RL**, Kesäniemi YA, Ylitalo A, Ukkola O. Nondipping pattern and carotid atherosclerosis in a middle-age population. OPERA study. *AM J Hyperten* 2012;25:60-6

**Teittinen M, Tuovinen V, Tammela L**, Schätzle M, Peltomäki T. Long-term stability of anterior open bite closure corrected by surgical-orthodontic treatment. *European journal of orthodontic* 2012:238-243.

**Palomäki A, Saltevo J, Niskanen L**. Mitä insuliinin ja inkreatiinimimeetin yhteiskäyttö tuo tyyppin 2 diabeteksen hoitoon. *Suomen Lääkärilehti* 2012;21:67: 1652-1655.

Soilu-Hänninen M, Åivo J, Lindström B-M, Elovaara I, Sumelahti M-L, Färkkilä M, Tienari P, Atula S, **Sarasoja T**, Herrala L, Keskiarkaus I, Kruger J, Kallio T, Rocca MA, Filippi M. A randomised, double blind, placebo controlled trial with vitamin D3 as an add on treatment to interferon  $\beta$ -1b in patients with multiple sclerosis. *J Neurol Neurosurg psychiatry* 2012;83:565-571.

**Vanhala M, Saltevo J**, Soininen P, **Kautiainen H**, Kangas AJ, Ala-Korpela M, Mäntyselkä P. Serum Omega-6 polyunsaturated fatty acids and the metabolic syndrome: a longitudinal population-based cohort study. *Am J Epidemiol* 2012;176:253-260.

**Kellokumpu I**. Nopeutetun hoidon malli – kolorektaalikirurgian toinen vallankumous. *Duodecim* 2012;128:1465-70.

**Kellokumpu I, Kairaluoma MI, Nuorva K, Kautiainen HJ, Jantunen IT**. Short-and long-term outcome following laparoscopic versus open resection for carcinoma of the rectum in the multimodal setting. *Diseases of the Colon & Rectum* 2012;55;8:-854-863.

Kiilholma P, **Kairaluoma M**, Räsänen P, Isojärvi J, Hovi S-L. Vaginaaliset verkkokorjaukset lantionpohjan laskeumien hoidossa. *Suomen Lääkärilehti* 2012;34:2298-2304.

Ahonen T, Vanhala M, Kautiainen H, Kumpusalo E, **Saltevo J**. Sex differences in the association of adiponectin and low-grade inflammation with changes in the body mass index from youth to middle age. *Gend Med* 2012;9:1-8.

Rautio N, Jokelainen J, Oksa H, Saaristo T, Peltonen M, Niskanen L, **Saltevo J**, Korpi-Hyövälti E, Uusitupa M, Tuomilehto J, Keinänen-Kiukaanniemi S. Participation, socioeconomic status and group or individual counselling intervention in individuals at high risk for type 2 diabetes: one-year follow-up study of the FIN-D2D-project. *Primary Care Diabetes* 2012;277-283.

Mäntyselkä P, **Kautiainen H**, **Saltevo J**, Würtz P, Soininen P, Kangas AJ, Ala-Korpela M, **Vanhala M**. Weight change and lipoprotein particle concentration and particle size: A cohort study with 6.5-year follow-up. *Atherosclerosis* 2012;223:239-243.

Ahonen TM, **Saltevo JT**, **Kautiainen HJ**, Kumpusalo EA, **Vanhala MJ**. The association of adiponectin and low-grade inflammation with the course of metabolic syndrome. *Nutrition, metabolism cardiovascular diseases* 2012;22:285-291.

Mathers JC, Movahedi M, Macrae F, **Mecklin JP**, Moeslein G, Olshwang S, Eccles D, Evans G, Maher ER, Bertario L, Bisgaard ML, Dunlop M, Ho JW, Hodgson S, Lindblom a, Lubinski J, Morrison PJ, Murday V, Ramesar R, Side L, Scott RJ, Thomas HJ, Vasen H, Gerdes AM, Barker G, Crawford G, Elliot F, **Pylvänäinen K**, Wijnen J, Fodde R, Lynch H, bishop DT, Burn J; CAPP2 Investigators. Long-term effect of resistant starch on cancer risk in carriers of hereditary colorectal cancer: an analysis from the CAPP2 randomised controlled trial. *Lancet Oncol* 2012;13(12):1242-9.

**Pylvänäinen K**, Lehtinen T, **Kellokumpu K**, Järvinen H, **Mecklin JP**. Causes of death of mutation carriers in Finnish Lynch syndrome families. *Fam Cancer* 2012;11(3):467-71.

Lotsari JE, Gylling A, Abdel-Rahman WM, Nieminen TT, Aittomäki K, **Friman M**, **Pitkänen R**, **Aarnio M**, Järvinen HJ, **Mecklin JP**, **Kuopio T**, Peltomäki P. Breast carcinoma and Lynch syndrome: molecular analysis of tumours arising in mutation carriers, non-carriers, and sporadic cases. *Breast Cancer Res* 2012;12:14-R90.

Dunlop MG, Dobbins SE, Farrington SM, Jones AM, Palles C, Whiffin N, Tenesa A, Spain S, Broderick P, Ooi LY, Domingo E, Smillie C, Henrion M, Frampton M, Martin L, Grimes G, Gorman M, Semple C, Ma YP, Barclay E, Prendergast J, Cazier JB, Olver B, Penegar S, Lubbe S, Chander I, Carvajal-Carmona LG, Ballereau S, Lloyd a, Vijayakrishnan J, Zgaga L, Rudan I, Theodoratou E, Colorectal Tumour Gene Identification (GORGI) Consortium, Starr JM, Deary I, Kirac I, Kovacevic D, Aaltonen LA, Renkonen-Sinisalo L, **Mecklin JP** et al. Common variation near CDKN1A, POLD3 and SHROOM2 influences colorectal cancer risk. *Nat Genet* 2012;27;44:770-6.

**Aarnio M**, Säily M, **Juhola M**, Gylling A, Peltomäki P, Järvinen HJ, **Mecklin JP**. Uroepithelial and kidney carcinoma in Lynch syndrome. *Fam Cancer* 2012;11(3):395-401.

Alhopuro P, Sammalkorpi H, Niittymäki I, Biström M, Raitila A, Saharinen J, Nousiainen K, Lehtonen HJ, Heliövaara E, Puhakka J, Tuupanen S, Sousa S, Seruca R, Ferreira AM, Hofstra RM, **Mecklin JP**, Järvinen H, Ristimäki A, Orntoft TF, Hautaniemi S, Arango D, Karhu a, Aaltonen LA. Candidate driver genes in microsatellite-unstable colorectal cancer. *Int J Cancer* 2012;1;130:1558-66.

Kämpjärvi K, Mäkinen N, Kilpivaara O, Arola J, Heinonen H-R, Böhm J, Abdel-Wahab O, Lehtonen HJ, Pelttari LM, Mehine M, Schrewe H, Nevanlinna H, Levine RL, Hokland P, Böhling T, **Mecklin JP**, Bützow R, Aaltonen LA, Vahteristo P. Somatic MED12 mutations in uterine leiomyosarcoma and colorectal cancer. *British journal of Cancer* 2012;107, 1761-1765.

Vähäsarja K, Salmela S, Villberg J, Rintala P, **Vanhala M**, Saaristo T, PeltonenM, Keinänen-Kiukaanniemi S, Korpi-Hyövälti E, Moilanen L, Niskanen L, Oksa H, Poskiparta ME. Perceived Sufficiency of Physical Activity Levels Among Adults at High Risk of Type 2 Diabetes: The FIN-D2D Study. *Int J Behav Med.* 2012 Dec 7.

Rautio N, Jokelainen J, Oksa H, Saaristo T, Peltonen M, **Vanhala M**, PuolijokiH, Moilanen L, Tuomilehto J, Keinänen-Kiukaanniemi S, Uusitupa M. Do statins interfere with lifestyle intervention in the prevention of diabetes in primary healthcare? One-year follow-up of the FIN-D2D project. *BMJ Open.* 2012 Sep13;2(5).

Hämäläinen P, Saltevo J, Kautiainen H, Mäntyselkä P, **Vanhala M**. Erythropoietin, ferritin, haptoglobin, hemoglobin and transferrin receptor in metabolic syndrome: a case control study. *Cardiovasc Diabetol.* 2012 Sep 27;11:116. doi: 10.1186/1475-2840-11-116.

Vähäsarja K, Salmela S, Villberg J, Rintala P, **Vanhala M**, Saaristo T, PeltonenM, Keinänen-Kiukaanniemi S, Korpi-Hyövälti E, Kujala UM, Moilanen L, Niskanen L, Oksa H, Poskiparta M. Perceived need to increase physical activity levels among adults at high risk of type 2 diabetes: a cross-sectional analysis within a community-based diabetes prevention project FIN-D2D. *BMC Public Health.* 2012 Jul 10;12:514.

Würtz P, Tiainen M, Mäkinen VP, Kangas AJ, Soininen P, Saltevo J, Keinänen-Kiukaanniemi S, Mäntyselkä P, Lehtimäki T, Laakso M, Jula A, Kähönen M, **Vanhala M**, Ala-Korpela M. Circulating metabolite predictors of glycemia in middle-aged men and women. *Diabetes Care.* 2012 Aug;35(8):1749-56. doi:10.2337/dc11-1838. Epub 2012 May 4.

Seppälä J, Koponen H, Kautiainen H, Eriksson JG, Kampman O, Männistö S, Mäntyselkä P, Oksa H, Ovaskainen Y, Viikki M, **Vanhala M**. Association between folate intake and melancholic depressive symptoms. A Finnish population-based study. *J Affect Disord.* 2012 May;138(3):473-8.

Salmela SM, Vähäsarja KA, Villberg JJ, **Vanhala MJ**, Saaristo TE, Lindström J, Oksa HH, Korpi-Hyövälti EA, Moilanen L, Keinänen-Kiukaanniemi S, Poskiparta ME. Perceiving need for lifestyle counseling: findings from Finnish individuals at high risk of type 2 diabetes. *Diabetes Care.* 2012 Feb;35(2):239-41.

Salmela SM, Vähäsarja K, Villberg J, **Vanhala M**, Saaristo T, Lindström J, Oksa H, Korpi-Hyövälti E, Niskanen L, Keinänen-Kiukaanniemi S, Poskiparta M. The reporting of previous lifestyle counseling by persons at high risk of Type 2 diabetes. *Patient Educ Couns*. 2012 May;87(2):178-85.

Rautio N, Jokelainen J, Oksa H, Saaristo T, Peltonen M, Puolijoki H, Tuomilehto J, **Vanhala M**, Moilanen L, Uusitupa M, Keinänen-Kiukaanniemi S. Family history of diabetes and effectiveness of lifestyle counselling on the cardio-metabolic risk profile in individuals at high risk of Type 2 diabetes: 1-year follow-up of the FIN-D2D project. *Diabet Med*. 2012 Feb;29(2):207-11.

Verhoeven VJ, Hysi PG, Saw SM, Vitart V, Mirshahi A, Guggenheim JA, Cotch MF, Yamashiro K, Baird PN, Mackey DA, Wojciechowski R, Ikram MK, Hewitt AW, Duggal P, Janmahasatian S, Khor CC, Fan Q, Zhou X, Young TL, Tai ES, Goh LK, Li YJ, Aung T, Vithana E, Teo YY, Tay W, Sim X, Rudan I, Hayward C, Wright AF, Polasek O, Campbell H, Wilson JF, Fleck BW, Nakata I, Yoshimura N, Yamada R, Matsuda F, Ohno-Matsui K, Nag A, McMahon G, St Pourcain B, Lu Y, Rahi JS, Cumberland PM, Bhattacharya S, Simpson CL, Atwood LD, Li X, Raffel LJ, Murgia F, Portas L, Despriet DD, van Koolwijk LM, Wolfram C, Lackner KJ, Tönjes A, Mägi R, Lehtimäki T, Kähönen M, Esko T, Metspalu A, Rantanen T, **Pärssinen O**, Klein BE, Meitinger T, Spector TD, Oostra BA, Smith AV, de Jong PT, Hofman A, Amin N, Karssen LC, Rivadeneira F, Vingerling JR, Eiriksdóttir G, Gudnason V, Döring A, Bettecken T, Uitterlinden AG, Williams C, Zeller T, Castagné R, Oexle K, van Duijn CM, Iyengar SK, Mitchell P, Wang JJ, Höhn R, Pfeiffer N, Bailey-Wilson JE, Stambolian D, Wong TY, Hammond CJ, Klaver CC. Large scale international replication and meta-analysis study confirms association of the 15q14 locus with myopia. The CREAM consortium. *Hum Genet*. 2012 Sep;131(9):1467-80.

**Pärssinen O**, Hiltunen H, Kaarniranta K. Relation of biometric eye profile with intraocular pressure corrections in healthy myopes. *Acta Ophthalmol*. 2012 Aug;90(5):e410-2.

**Pärssinen O**. The increased prevalence of myopia in Finland. *Acta Ophthalmol*. 2012 Sep;90(6):497-502. doi:10.1111/j.1755-3768.2011.02210.x. Epub 2011 Sep 8.

Mäkitie AA, Korpela J, Elomaa L, Reivonen M, Kokkari A, Malin M, Korhonen H, Wang X, Salo J, **Sihvo E**, Salmi M, Partanen J, Paloheimo KS, Tuomi J, Närhi T, Seppälä J. Novel additive manufactured scaffolds for tissue engineered trachea research. *Acta Otolaryngol*. 2013 Apr;133(4):412-7. doi: 10.3109/00016489.2012.761725. Epub 2013 Feb 11.

Britz HM, Carter Y, Jokihaara J, **Leppänen OV**, Järvinen T, Belev G, Cooper D. Prolonged unloading in growing rats reduces cortical osteocyte lacunar density and volume in the distal tibia. *Bone* 2012;51:913-919.

Britz HM, Jokihaara J, **Leppänen OV**, Järvinen TLN, Cooper DML. The effects of immobilization on vascular canal orientation in rat cortical bone. *J.Anat* 2012;220:67-76.

Koponen S, **Sihvo E**. Mediastinitis in a patient with eating disorder. *Duodecim*. 2012;128(12):1289-91. Finnish.

Kauttu T, Räsänen J, Krogerus L, **Sihvo E**, Puolakkainen P, Salo JA. Long-term results of ablation with antireflux surgery for Barrett's esophagus: a clinical and molecular biologic study. *Surg Endosc*. 2012 Jul;26(7):1892-7. doi: 10.1007/s00464-011-2121-3. Epub 2012 Jan 5.

Kauppi JT, Oksala N, Salo JA, Helin H, Karhumäki L, Kemppainen J, **Sihvo EI**, Räsänen JV. Locally advanced esophageal adenocarcinoma: response to neoadjuvant chemotherapy and survival predicted by ([18F])FDG-PET/CT. *Acta Oncol.* 2012 May;51(5):636-44. doi: 10.3109/0284186X.2011.643822. Epub 2012 Jan 2.

**Rummukainen ML, Jakobsson A, Matsinen M, Järvenpää S, Nissinen A, Karppi P, Lyytikäinen O.** Reduction in inappropriate prevention of urinary tract infections in long-term care facilities. *Am J Infect Control* 2012;40:711-4.

S.L.Whittle, A.N.Colebatch, R.Buchbinder, C.J.Edwards, K.Adams, M.Englbrecht, G.Hazlewood, J.L.Marks, H.Radner, S.Ramiro, B.Richards, I.Tarner1, D.Aletaha, C.Bombardier, R.Landewé, U.Muller---Ladner, J.Bijlsma, J.Branco, V.Bykerk, G.CastelarPinheiro, A.Catrina, **P.Hannonen**, P.Kiely, B.Leeb, E.Lie, P.Martinez-Osuna, C.Montecucco, M.Østergaard, R.Westhovens, J.Zochling, D.vanderHeijde. Multinational evidence-based recommendations for pain management by pharmacotherapy in inflammatory arthritis: integrating systematic literature research and expert opinion of a broad panel of rheumatologists in the 3e Initiative. *Rheumatology* 2012;51:1416-25.

Markku Hakala, Heikki Kröger, Heikki Valleala, Tuija Hienonen-Kempas, Marjo Lehtonen-Veromaa, Jorma Heikkinen, Tapani Tuomiranta, **Pekka Hannonen**, Leena Paimela for the ONCE trial group. Once monthly oral ibandronate provides significant improvement in bone mineral density in postmenopausal women treated with glucocorticoids for inflammatory rheumatic diseases: a 12-month, randomized, double-blind, placebo-controlled trial. *Scand J Rheumatol* 2012;41:260-6.

Tuomainen PO, Ylitalo A, Niemelä M, Kervinen K, Pietilä M, Sia J, **Nyman K**, Nammass W, Airaksinen KE, Karjalainen PP. Five-year clinical outcome of titanium-nitride-oxide-coated bioactive stents versus paclitaxel-eluting stents in patients with acute myocardial infarction: Long-term follow-up from the TITAX AMI trial. [Int J Cardiol.](#) 2012 Dec 3. pii: S0167-5273(12)01543-4

Tuomainen PO, Ylitalo A, Niemelä M, Kervinen K, Pietilä M, Sia J, **Nyman K**, Nammass W, Airaksinen KE, Karjalainen PP. Gender-based analysis of the 3-year outcome of bioactive stents versus paclitaxel-eluting stents in patients with acute myocardial infarction: an insight from the TITAX-AMI trial. [J Invasive Cardiol.](#) 2012 Mar;24(3):104-8

Hulmi JJ, Walker S, Ahtiainen JP, **Nyman K**, Kraemer WJ, Häkkinen K. Molecular signaling in muscle is affected by the specificity of resistance exercise protocol. [Scand J Med Sci Sports.](#) 2012 Apr;22(2):240-8

**Aarnio M, Böhm JP, Nuorva K, Pitkänen RI, Kuopio T, Voutilainen M.** Absence of cytomegalovirus from the gastrointestinal tract of patients with active Crohn's disease. *In Vivo* 2012;26:151-156.

**Kellokumpu I.** Nopeutetun hoidon malli – kolorektaalikirurgian toinen vallankumous. *Duodecim* 2012;128:1465-70.

Kiljander T, Rantanen T, **Kellokumpu I**, Kööbi T, Lammi L, Nieminen M, Poussa T, Ranta A, Saarelainen S, Salminen P. Comparison of the effects of esomeprazole and fundoplication on airway responsiveness in patients with gastro-oesophageal reflux disease. *Clin Respi J* 2012;24

**Kellokumpu I**, Vironen J, **Kairaluoma M**, **Jantunen I**, Kautiainen H, **Nuorva K**. Quality of surgical care, local recurrence and survival in patients with low- and midrectal cancers following multimodal therapy. *Int j Colorectal dis* 2012;27:111-20.

Salonen AJ, Taari K, Ala-Opas M, Viitanen J, **Lundstedt S**, Tammela TLJ and the FinnProstate Group. Intermittent versus continuous androgen deprivation in patients with advanced prostate cancer. *J Urol* 2012;187:2074-2081.

Salonen AJ, Taari K, Ala-Opas M, Viitanen S, **Lundstedt S**, Tammela TLJ. Advanced prostate cancer treated with intermittent or continuous androgen deprivation in the randomised FinnProstate study VII: quality of life and adverse effects. *Eur Urol* 2012;63:111-120.

Rantalaiho V, Puolakka K, Korpela M, **Hannonen P**, Möttönen T. Long-term results of the FIN-RACo trial; treatment with a combination of traditional disease-modifying anti-rheumatic drugs is an excellent option in early rheumatoid arthritis. *Clin Exp Rheumatol*. 2012;30(4 Suppl 73):S27-31.

Hakala M, Kröger H, Valleala H, Hienonen-Kempas T, Lehtonen-Veromaa M, Heikkinen J, Tuomiranta T, **Hannonen P**, Paimela L for the ONCE trial group. Once monthly oral ibandronate provides significant improvement in bone mineral density in postmenopausal women treated with glucocorticoids for inflammatory rheumatic diseases: a 12-month, randomized, double-blind, placebo-controlled trial. *Scand J Rheumatol* 2012;41:260-6.

Piira OP, **Mustonen PE**, Miettinen JA, Huikuri HV, Tulppo MP. Leisure time emotional excitement increases endothelin-1 and interleukin-6 in cardiac patients. *Scand Cardiovasc J* 2012 Feb;46(1):7-15. doi: 10.3109/14017431.2011.640709. Epub 2011 Dec 12.

**Mustonen P**, Puurunen M. Mitä jokaisen lääkärin olisi hyvä tietää uusista antitromboottisista lääkkeistä? *Duodecim* 2012;128:707-18.

Laiho MK, Harjola V-P, Graner M, Piilonen A, Raade M, **Mustonen P**. Right ventricular overload in patients with acute pulmonary embolism: role of helical tomography (CT) and N-terminal pro-BNP in screening and follow-up. *Scand J Trauma Resusc Emerg Med*. 2012;20:33-

**Vasunta R-L**, Kesäniemi YA, Ylitalo AS, Ukkola OH. High ambulatory blood pressure values associated with non-alcoholic fatty liver in middle-age adults. *Journal of Hypertension* 2012;30:2015-2019.

Putrik P, **Sokka T**, Ramiro S, Boonen A. Impact of socioeconomic gradients within and between countries on health of patients with rheumatoid arthritis (RA): lessons from QUEST RA. *Best Pract Res Clin Rheumatol*. 2012 Oct;26(5):705-20. doi: 10.1016/j.berh.2012.07.011.

**Sokka T**, Rannio T, Khan NA. Disease activity assessment and patient-reported outcomes in patients with early rheumatoid arthritis. *Rheum Dis Clin North Am*. 2012 May;38(2):299-310.

Khan NA, Spencer HJ, Abda EA, Alten R, Pohl C, Ancuta C, Cazzato M, Géher P, Gossec L, Henrohn D, Hetland ML, Inanc N, Jacobs JW, Kerzberg E, Majdan M, Oyoo O, Peredo-Wende RA, Selim ZI, Skopouli FN, Sulli A, Hørslev-Petersen K, Taylor PC, **Sokka T**; QUEST-RA group. Patient's global

assessment of disease activity and patient's assessment of general health for rheumatoid arthritis activity assessment: are they equivalent? *Ann Rheum Dis.* 2012 Dec;71(12):1942-9.

Englbrecht M, Gossec L, DeLongis A, Scholte-Voshaar M, **Sokka T**, Kvien TK, Schett G. The impact of coping strategies on mental and physical well-being in patients with rheumatoid arthritis. *Semin Arthritis Rheum.* 2012 Feb;41(4):545-55.

Khan NA, Spencer HJ, Abda E, Aggarwal A, Alten R, Ancuta C, Anderson D, Bergman M, Craig-Muller J, Detert J, Georgescu L, Gossec L, Hamoud H, Jacobs JW, Laurindo IM, Majdan M, Naranjo A, Pandya S, Pohl C, Schett G, Selim ZI, Toloza S, Yamanaka H, **Sokka T**. Determinants of discordance in patients' and physicians' rating of rheumatoid arthritis disease activity. *Arthritis Care Res (Hoboken).* 2012 Feb;64(2):206-14.

**Kanerva A**, Lammintakanen J, Kivinen T. Patient safety in psychiatric inpatient care: a literature review. *J Psychiatr Ment Health Nurs* 2012; Jun.

**Anttinen J, Saaranen L, Nikanne E.** "Kolmas ikkuna" kuulon heikentymän taustalla. *Duodecim* 2012;128:749-52.

Karra H, **Pitkänen R, Nykänen M**, Talvinen K, **Kuopio T**, Söderström M, Kronqvist P. Securin predicts aneuploidy and survival in breast cancer. *Histopathology.* 2012 Mar;60(4):586-96

**Heleneius KK**, Laine MK, Tähtinen PA, Lahti e, Ruohola A. Tympanometry in discrimination of otoscopic diagnoses in young ambulatory children. *The Pediatric Infectious Disease Journal* 2012;31:1003-1006.

Partinen M, Saarnepää-Heikkilä O, Ilveskoski I, Hublin C, Linna M, Olsen P, Nokelainen P, **Alen R**, Wallden T, Espo M, Rusanen H, Olme J, Sätilä H, Arikka H, Kaipainen P, Julkunen I, Kirjavainen T. Increased incidence and clinical picture of childhood narcolepsy following the 2009 H1N1 Pandemic vaccination campaign in Finland. *PLoS One* 2012;7(3).

Partiainen M, Saarnepää-Heikkilä O, Ilveskoski I, Hublin C, Linna M, Olsen P, Nokelainen P, **Alen R**, Wallden T, Espo M, Rusanen H, Olme J, Sätilä H, Arikka H, Kaipainen P, Julkunen I, Kirjavainen T. Lasten narkolepsian ilmaantuvuuden lisääntyminen ja kliininen oirekuva vuoden 2009 Pandemrix-rokotekampanjan jälkeen. *Suomen Lääkärilehti* 2012;67(13):1045-1052.

Würtz P, Tiainen P, Mäkinen V-P, Kangas AJ, Soininen P, **Saltevo J**, Keinänen-Kiukaanniemi S, Mäntyselkä P, Lehtimäki T, Laakso M, Jula A, Kähönen M, **Vanhala M**, Ala-Korpela M. Circulating metabolite predictors of glycemia in middle-aged men and women. *Diabetes Care* 2012;35:1749-1756.

Pajunen P, Keinänen-Kiukaanniemi S, Korpi-Hyövälti E, Männistö S, Niskanen L, Oksa H, Saaristo T, **Saltevo J**, Sundvall J, **Vanhala M**, Uusitupa M, Eriksson J, Peltonen M. Ylipainon ja lihavuuden esiintyvyys tyyppin 2 diabetespotilailla. *Suomen Lääkärilehti* 2012;38:2621-2626.

Wiklund P, Xu L, **Lyytikäinen A, Saltevo J**, Wang Q, Völgyi E, Munukka E, Cheng S, Alen M, Keinänen-Kiukaanniemi S, Cheng S. Prolonged breast-feeding protects mothers from later-life obesity and related cardio-metabolic disorders. *Public Health Nutrition* 2012;15(1):67-74.

**Hyödynmaa** E, Korhonen P, Ahonen S, Luukkaala T, Tammela O. Frequency and clinical correlates of radiographic patterns of bronchopulmonary dysplasia in very low birth weight infants by term age. *Eur J Pediatr* 2012;171:95-102